

SUEX[®]

THE SUBMARINE EXPLORATION COMPANY

THE SUBMARINE EXPLORATION COMPANY



SUEX[®]



DIVE
IN THE
FAST
LANE

The Suex Advanced Diving Vehicles represent the cutting-edge technology of underwater mobility. Performance, reliability, manoeuvrability, complete product range and the excellent after-market service are the cornerstones that make Suex undisputed leader in the underwater scooter market.

Diving a Suex ADV is an incredible experience, ensures both high level of manoeuvrability in overeahead environments and comfort during extensive cruising. Years of unrivalled experience behind the Suex scooters is woeldwide appreciated as well as the range of exclusive systems and patented devices.



XJOY 2



TECHNICAL FEATURES

Code:	70600	Model:	XJOY 2
Length:	mm 637 (inch 25)	Width:	mm 407 (inch 16)
Height:	mm 338 (inch 13.3)	Body diameter:	mm 200 (inch 7,87)
Weight without battery:	kg 10,5 (lb 22)	Weight with battery:	kg 14.7 (lb 30.8)
Material type:	Technopolymers/Polycarbonate	Static thrust:	kg 12 (lb 26)
Max speed (3):	mt/min 50 (ft/min 164)	Range at max speed/drag :	km 3,0 (nmi 1,62)
Run time at max speed/drag:	min 60	Range at cruise speed:	km (nmi)
Run time at cruise speed:	min 60	Maximum operational depth:	mt 80 (ft 260)
Test depth (1):	mt (ft)	Buoyancy/ trim:	Neutral/Neutral
In-water usage temperature:	°C -5/+35 (°F +23/+95)	Battery type:	NiMH
Nominal Voltage:	Volt 24	Nominal Capacity:	Wh 216
Charger power supply:	Volt 110/220 50/60HZ	Maximum recharging time:	h 8
		Price:	€ 1.200,00 + taxes

Notes

(*) Average runtime for a streamlined diver equipped with 80cuft single tank and wetsuit.
Operating Depth 80mt (260ft) - Test depth 100mt (330ft)

XJOY 7



TECHNICAL FEATURES

Code:	70571	Model:	XJOY 7
Length:	mm 790 (inch 31.1)	Width:	mm 407 (inch 16)
Height:	mm 338 (inch 13,3)	Body diameter:	mm 200 (inch 7,67)
Weight without battery:	kg 11,5 (lb 25,4)	Weight with battery:	kg 19 (lb 41.8)
Material type:	Tecnopolymers/Polycarbonate	Static thrust:	kg 17 (lb 38)
Max speed (3):	mt/min 55 (ft/min 180)	Range at max speed/drag :	km 3,3 (nmi 1,78)
Run time at max speed/drag:	min 60	Range at cruise speed:	km (nmi)
Run time at cruise speed:	min 75	Maximum operational depth:	mt 80 (ft 260)
Test depth (1):	mt (ft)	Buoyancy/ trim:	Neutral/Neutral
In-water usage temperature:	°C -5/+35 (°F +23/+95)	Battery type:	Pb
Nominal Voltage:	Volt 24	Nominal Capacity:	Wh 360
Charger power supply:	Volt 110/220 50/60HZ	Maximum recharging time:	h 8
		Price:	€ 1.520,00 + taxes

Dual Speed Control

Colors

70570 Yellow-Black

70571 White-Black



70574 Blue-Black

Notes

(*) Average runtime for a streamlined diver equipped with 80cuft single tank and wetsuit.

Operating Depth 80mt (260ft) - Test depth 100mt (330ft)

XJOY 14



TECHNICAL FEATURES

Code:	70400	Model:	XJOY 14
Length:	mm 795 (inch 31,3)	Width:	mm 430 (inch 16,93)
Height:	mm 340 (inch 13,39)	Body diameter:	mm 195 (inch 7,68)
Weight without battery:	kg 14 (lb 30,86)	Weight with battery:	kg 20 (lb 44,09)
Material type:	Tecnopolymers/inox	Static thrust:	kg 22 (lb 48,5)
Max speed (3):	mt/min 60 (ft/min 200)	Range at max speed/drag :	km 3,3 (nmi 1,78)
Run time at max speed/drag:	min 55	Range at cruise speed:	km (nmi)
Run time at cruise speed:	min 100	Maximum operational depth:	mt 120 (ft 390)
Test depth (1):	mt 150 (ft 490)	Buoyancy/ trim:	Neutral/Neutral
In-water usage temperature:	°C -5/+35 (°F +23/+95)	Battery type:	Nimh
Nominal Voltage:	Volt 26,4	Nominal Capacity:	Wh 370
Charger power supply:	Volt 90/240V - 50/60 Hz	Maximum recharging time:	h 8
		Price:	€ 2.850,00 + taxes

Notes:

The runtime varies trimming the speed knob
Speed varies with diver's equipment and trim/position

XJOY 37



TECHNICAL FEATURES

Code:	70755	Model:	XJOY 37
Length:	mm 795 (inch 31,3)	Width:	mm 430 (inch 16,93)
Height:	mm 340 (inch 13,39)	Body diameter:	mm 195 (inch 7,68)
Weight without battery:	kg 14 (lb 30,86)	Weight with battery:	kg 20 (lb 44,09)
Material type:	Technopolymers/inox	Static thrust:	kg 22 (lb 48,5)
Max speed (3):	mt/min 60 (ft/min 200)	Range at max speed/drag :	km 8,25 (nmi 4,45)
Run time at max speed/drag:	min 140	Range at cruise speed:	km (nmi)
Run time at cruise speed:	min 250	Maximum operational depth:	mt 120 (ft 390)
Test depth (1):	mt 150 (ft 490)	Buoyancy/ trim:	Neutral
In-water usage temperature:	°C -5+35 (°F +23/+95)	Battery type:	LI-ION
Nominal Voltage:	Volt 25,2	Nominal Capacity:	Wh 940
Charger power supply:	Volt 90/240 - 50/60 Hz	Maximum recharging time:	h 8
		Price:	€ 4.200,00 + taxes

Notes:

The runtime varies trimming the speed knob

Speed varies with diver's equipment and trim/position

ACCESSORIES BUNDLE :

Proplock Propeller

N-Handle

BATTERY GAUGE AND BYPASS SYSTEM AVAILABLE AS OPTIONALS



TECHNICAL FEATURES

Code:	70720	Model:	XK1
Length:	mm 960 (inch 37,8)	Width:	mm 460 (inch 18,11)
Height:	mm 364 (inch 14,33)	Body diameter:	mm 197 (inch 7,76)
Weight without battery:	kg 17 (lb 37,48)	Weight with battery:	kg 25 (lb 55,12)
Material type:	Tecnopolymers/aluminum	Static thrust:	kg 34-39(*) (lb 74,96-85,98(*))
Max speed (3):	mt/min 81-86(*) (ft/min 265-282(*))	Range at max speed/drag :	km 8,1 (nmi 4,3)
Run time at max speed/drag:	min 100	Range at cruise speed:	km (nmi)
Run time at cruise speed:	min 300	Maximum operational depth:	mt 200 (ft 656)
Test depth (1):	mt 300 (ft 984)	Buoyancy/ trim:	neutral
In-water usage temperature:	°C -5/+35 (°F +23/+95)	Battery type:	LI-ion
Nominal Voltage:	Volt 36	Nominal Capacity:	Wh 1340
Charger power supply:	Volt 90/240 - 50/60 Hz	Maximum recharging time:	h 8
		Price:	€ 5.250,00 + taxes


Accessories bundle :

Proplock Propeller
N-Handle
PowerGrip Handle

Notes :

- (*)With 5 blades propeller
- The runtime varies trimming the speed knob
- Speed varies with diver's equipment and trim/position
- Parameters for continuous running

ZEUXO 20



TECHNICAL FEATURES


Code:	70097	Model:	ZEUXO 20
Length:	mm 779 (inch 30,67)	Width:	mm 460 (inch 18,11)
Height:	mm 364 (inch 14,33)	Body diameter:	mm 274 (inch 10,79)
Weight without battery:	kg 23 (lb 50,71)	Weight with battery:	kg 36,2 (lb 79,81)
Material type:	Tecnopolymers/inox	Static thrust:	kg 24 (lb 52,91)
Max speed (3):	mt/min 60 (ft/min 200)	Range at max speed/drag :	km 3,3 (nmi 1,78)
Run time at max speed/drag:	min 55	Range at cruise speed:	km (nmi)
Run time at cruise speed:	min 115	Maximum operational depth:	mt 120 (ft 390)
Test depth (1):	mt 150 (ft 490)	Buoyancy/ trim:	neutral
In-water usage temperature:	°C -5/+35 (°F +23/+95)	Battery type:	Pb
Nominal Voltage:	Volt 24	Nominal Capacity:	Wh 480
Charger power supply:	Volt 90/240 - 50/60 Hz	Maximum recharging time:	h 8
		Price:	€ 3.200,00 + taxes

Notes:

The runtime varies trimming the speed knob

Speed varies with diver's equipment and trim/position

ZEUXO 33




TECHNICAL FEATURES

Code:	70099	Model:	ZEUXO 33
Length:	mm 1079 (inch 42,48)	Width:	mm 460 (inch 18,11)
Height:	mm 364 (inch 14,33)	Body diameter:	mm 274 (inch 10,79)
Weight without battery:	kg 27,7 (lb 27,7)	Weight with battery:	kg 50,9 (lb 112,22)
Material type:	Tecnopolymers/inox	Static thrust:	kg 24 (lb 52,91)
Max speed (3):	mt/min 60 (ft/min 200)	Range at max speed/drag :	km 5,4 (nmi 2,91)
Run time at max speed/drag:	min 90	Range at cruise speed:	km (nmi)
Run time at cruise speed:	min 200	Maximum operational depth:	mt 120 (ft 390)
Test depth (1):	mt 150 (ft 490)	Buoyancy/ trim:	neutral
In-water usage temperature:	°C -5/+35 (°F +23/+95)	Battery type:	Pb
Nominal Voltage:	Volt 24	Nominal Capacity:	Wh 792
Charger power supply:	Volt 90/240 - 50/60 Hz	Maximum recharging time:	h 8
		Price:	€ 3.400,00 + taxes

Notes:

The runtime varies trimming the speed knob
Speed varies with diver's equipment and trim/position

ZEUXO 42




TECHNICAL FEATURES

Code:	70100	Model:	ZEUXO 42
Length:	mm 1219 (inch 47,99)	Width:	mm 460 (inch 18,11)
Height:	mm 364 (inch 14,33)	Body diameter:	mm 274 (inch 10,79)
Weight without battery:	kg 29 (lb 63,93)	Weight with battery:	kg 57,8 (lb 127,43)
Material type:	Tecnopolymers/inox	Static thrust:	kg 24 (lb 52,91)
Max speed (3):	mt/min 60 (ft/min 200)	Range at max speed/drag :	km 6,9 (nmi 3,72)
Run time at max speed/drag:	min 115	Range at cruise speed:	km (nmi)
Run time at cruise speed:	min 260	Maximum operational depth:	mt 120 (ft 390)
Test depth (1):	mt 150 (ft 490)	Buoyancy/ trim:	neutral
In-water usage temperature:	°C -5/+35 (°F +23/+95)	Battery type:	Pb
Nominal Voltage:	Volt 24	Nominal Capacity:	Wh 1008
Charger power supply:	Volt 220 - 50 Hz	Maximum recharging time:	h 8
		Price:	€ 3.500,00 + taxes

Notes:

The runtime varies trimming the speed knob
Speed varies with diver's equipment and trim/position

ZEUXO 16



TECHNICAL FEATURES

Code:	70307	Model:	ZEUXO 16
Length:	mm 722 (inch 28,43)	Width:	mm 460 (inch 18,11)
Height:	mm 364 (inch 14,33)	Body diameter:	mm 247 (inch 9,72)
Weight without battery:	kg 21 (lb 46,3)	Weight with battery:	kg 27,4 (lb 60,41)
Material type:	Tecnopolymers/inox	Static thrust:	kg 26 (lb 57,32)
Max speed (3):	mt/min 65 (ft/min 215)	Range at max speed/drag :	km 3,3 (nmi 1,78)
Run time at max speed/drag:	min 50	Range at cruise speed:	km 5,1 (nmi 2,75)
Run time at cruise speed:	min 105	Maximum operational depth:	mt 120 (ft 390)
Test depth (1):	mt 150 (ft 490)	Buoyancy/ trim:	neutral
In-water usage temperature:	°C -5/+35 (°F +23/+95)	Battery type:	Nimh
Nominal Voltage:	Volt 26,4	Nominal Capacity:	Wh 422
Charger power supply:	Volt 90/240 - 50/60 Hz	Maximum recharging time:	h 4
		Price:	€ 3.600,00 + taxes

Notes:

The runtime varies trimming the speed knob
Speed varies with diver's equipment and trim/position

ZEUXO 32



TECHNICAL FEATURES

Code:	70308	Model:	ZEUXO 32
Length:	mm 917 (inch 36,1)	Width:	mm 460 (inch 18,11)
Height:	mm 364 (inch 14,33)	Body diameter:	mm 247 (inch 9,72)
Weight without battery:	kg 23,3 (lb 51,37)	Weight with battery:	kg 37,2 (lb 82,01)
Material type:	Tecnopolymers/inox	Static thrust:	kg 26 (lb 57,32)
Max speed (3):	mt/min 65 (ft/min 215)	Range at max speed/drag :	km 6,6 (nmi 3,56)
Run time at max speed/drag:	min 100	Range at cruise speed:	km 10,2 (nmi 5,50)
Run time at cruise speed:	min 210	Maximum operational depth:	mt 120 (ft 390)
Test depth (1):	mt 150 (ft 490)	Buoyancy/ trim:	neutral
In-water usage temperature:	°C -5/+35 (°F +23/+95)	Battery type:	Nimh
Nominal Voltage:	Volt 26,4	Nominal Capacity:	Wh 845
Charger power supply:	Volt 90/240 - 50/60 Hz	Maximum recharging time:	h 4
		Price:	€ 4.200,00 + taxes

Notes:

The runtime varies trimming the speed knob

Speed varies with diver's equipment and trim/position

ACCESSORIES



Cod. 70133 PROPLOCK 3PG LARGE XK1 - ZEUXO

The patented Suex PropLock system allows the diver to take the propeller off and back on underwater without tools.

Compatible with models: ZEUXO 20 | ZEUXO 33 | ZEUXO 42 | ZEUXO 16 | ZEUXO 32 |

€ 270,00 + taxes



Cod. 70115 PROPLOCK 5PG XK1 - ZEUXO 15PCT MORE THRUST

Five blades PropLock propeller. The five blades propeller increases the scooter's thrust about 15%. The patented Suex PropLock system allows the diver to take the propeller off and back on underwater without tools.

Compatible with models: XK1 | ZEUXO 20 | ZEUXO 33 | ZEUXO 42 | ZEUXO 16 | ZEUXO 32 |

€ 300,00 + taxes



Cod. 70116 PROPLOCK3PP SMALL XJOY14 - XJOY37 -T16

The patented Suex PropLock system allows the diver to take the propeller off and back on underwater without tools.

Compatible with models: XJOY 14 |

€ 250,00 + taxes



Cod. 70117 PROPLOCK 4PP SMALL XJOY14- XJOY37-T16 12PCT MORE THRUST

Four blades PropLock propeller. The four blades prop increases scooter's thrust about 12%. The patented Suex PropLock system allows the diver to take the propeller off and back on underwater without tools.

Compatible with models: XJOY 14 | XJOY 37 |

€ 260,00 + taxes




Cod. 70136 PROPELLER 5PG LARGE XK1- ZEUXO 15PCT MORE THRUST

The five blades propeller increases the scooter's thrust about 15%

Compatible with models: ZEUXO 20 | ZEUXO 33 | ZEUXO 42 | ZEUXO 16 | ZEUXO 32 |

€ 270,00 + taxes



Cod. 70138 PROPELLER 4PP SMALL XJOY14- XJOY37- T16 12PCT MORE THRUST

The four blades prop increases scooter's thrust about 12%.

Compatible with models: XJOY 14 |

€ 170,00 + taxes



Cod. 70208 N-HANDLE XK1 OR ZEUXO

The N-handle has been designed to make more comfortable and relaxing while on long scooter dives. Main features: personalize hand grip distance while maximizing the trigger options, as the dual speed finger rest, autopilot and accessories mount (cod. 10349) as light, compass and other diving

Compatible with models: ZEUXO 20 | ZEUXO 33 | ZEUXO 42 | ZEUXO 16 | ZEUXO 32 |

€ 220,00 + taxes



Cod. 70309 N-HANDLE SINGLE SPEED XJOY14 - XJOY37 - T16

The N-handle is been designed to make more comfortable and relaxing while on long scooter dives. Main features: personalize hand grip distance while maximizing the trigger options as the autopilot and accessories mount (cod. 10349) as light, compass and othe diving instruments.

Compatible with models: XJOY 14 |

€ 180,00 + taxes



Cod. 70209 PLUS HANDLE FOR ACCS MOUNTING

Handle with support for accessories mounting (cod.10349) as lights/compass/depth gaug.

Compatible with models: XJOY 14 | XJOY 37 | ZEUXO 20 | ZEUXO 33 | ZEUXO 42 | ZEUXO 16 | ZEUXO 32 |

€ 86,00 + taxes



Cod. 70531 POWER GRIP HANDLE FOR N-HANDLE 70208 OR 70209 BAR ONLY

Power Grip Bar for N-Handle : - Wider hand-support compared to the standard N-Handle (+3cm) allows even more comfortable grip enhancing the already excellent ADV's drive - Adjustable distance from the hand palm to the trigger allows a perfect customization of the hand position - The special

Compatible with models: XJOY 14 | XJOY 37 | ZEUXO 20 | ZEUXO 33 | ZEUXO 42 | ZEUXO 16 | ZEUXO 32 |

€ 75,00 + taxes




Cod. 70584 POWER GRIP WIDE HANDLE XJOY7

- Wider hand-support compared to the standard Handle allows even more comfortable grip enhancing the already excellent ADV's drive - The special rubber grip guarantees the perfect grip in any driving situation.

Compatible with models: XJOY 7 |

€ 68,00 + taxes



Cod. 70536 COLD WATER FRONT HANDLE

Body handle resistant at low temperature and unbreakable. The wider space between the body and the handle allows a better handling even with thick gloves.

Compatible with models: XJOY 7 | XK1 |

€ 45,00 + taxes



Cod. 70042 CARRY HANDLE XJOY ALL MODELS

Compatible with models: XJOY 14 | XJOY 37 | XK1 | ZEUXO 20 | ZEUXO 33 | ZEUXO 42 | ZEUXO 16 | ZEUXO 32 |

€ 40,00 + taxes



Cod. 70541 XK1 XK2 ADD HANDLE

Extra left handle, ensures more comfort on the long rides.

Compatible with models: XK1 |

€ 50,00 + taxes



Cod. 10349 T- FIX INSERT FOR HANDLES 70208-70209-70309

Accessori insert. Fits handles 70208 and 70209

Compatible with models: XJOY 14 | XJOY 37 | XK1 | ZEUXO 20 | ZEUXO 33 | ZEUXO 42 | ZEUXO 16 | ZEUXO 32 |

€ 12,00 + taxes



Cod. 70210 NBS BALANCED INSTRUMENT SUPPORT

Balanced instrument support. This support with the mounted instruments can be perfectly balanced in the water without modifying the scooter's buoyancy.

Compatible with models: XJOY 14 | XJOY 37 | XK1 | ZEUXO 20 | ZEUXO 33 | ZEUXO 42 | ZEUXO 16 | ZEUXO 32 |

€ 120,00 + taxes



Cod. 70449 INSTRUMENT SUPPORT FOR HANDLES 70208-70209-70309

Instrument support for handles cod. 70208 70209 and 70309

Compatible with models: XJOY 14 | XJOY 37 | XK1 | ZEUXO 20 | ZEUXO 33 | ZEUXO 42 | ZEUXO 16 | ZEUXO 32 |

€ 84,00 + taxes



Cod. 70542 VIDEO CAMERA SUPPORT INCL 70228 70230 10592 70543

Full Camera/Video Housing mounting Kit. Includes : - Universal Support cod. 70228 - Swivel Support cod. 70230 - Standard Insert cod. 10592 - Floats cod. 70543 WATCH THE VIDEO

Compatible with models: XJOY 2 | XJOY 7 | XJOY 14 | XJOY 37 | XK1 | ZEUXO 20 | ZEUXO 33 | ZEUXO 42 | ZEUXO 16 | ZEUXO 32 |

€ 350,00 + taxes



Cod. 10592 STANDARD INSERT FOR SWIVEL MOUNT

Standard Insert for Swivel Mount cod. 70230

Compatible with models: XJOY 2 | XJOY 7 | XJOY 14 | XJOY 37 | XK1 | ZEUXO 20 | ZEUXO 33 | ZEUXO 42 | ZEUXO 16 | ZEUXO 32 |

€ 35,00 + taxes



Cod. 10578 INSERT FOR SWIVEL MOUNT 70230 80X9MM

Insert for Swivel Support 70230 with larger diameter (80mm)

Compatible with models: XJOY 2 | XJOY 7 | XJOY 14 | XJOY 37 | XK1 | ZEUXO 20 | ZEUXO 33 | ZEUXO 42 | ZEUXO 16 | ZEUXO 32 |

€ 35,00 + taxes



Cod. 10591 INSERT FOR SWIVEL MOUNT 70230 60X30MM

Insert for Swivel Mount cod.70230 : thicker (30mm) and with larger diameter (60mm)

Compatible with models: XJOY 2 | XJOY 7 | XJOY 14 | XJOY 37 | XK1 | ZEUXO 20 | ZEUXO 33 | ZEUXO 42 | ZEUXO 16 | ZEUXO 32 |

€ 35,00 + taxes



Cod. 70540 GO-PRO MOUNT FOR N-HANDLE

Go-Pro camera mount for N-handle combined with the GOPRO "Grab Bag of Mounts" Video

Compatible with models: XJOY 14 | XJOY 37 | XK1 | ZEUXO 20 | ZEUXO 33 | ZEUXO 42 | ZEUXO 16 | ZEUXO 32 |

€ 35,00 + taxes



Cod. 70431 BATTERY GAUGE ZEUXO

Three stage Battery Gauge. Zeuxo Series

Compatible with models: ZEUXO 20 | ZEUXO 33 | ZEUXO 42 | ZEUXO 16 | ZEUXO 32 |

€ 220,00 + taxes



Cod. 70079 XK1 XK2 GAUGE OPTION

Compatible with models: XK1 |


€ 220,00 + taxes



Cod. 70791 XJOY37 GAUGE OPTION

Compatible with models: XJOY 37 |

€ 220,00 + taxes



Cod. 70792 XJOY37 BY-PASS OPTION

Compatible with models: XJOY 37 |

€ 250,00 + taxes



Cod. 70478 XK1 XK2 BYPASS OPTION

Bypass

Compatible with models: XK1 |

€ 250,00 + taxes



Cod. 70195 ZEUXO BYPASS OPTION

Compatible with models: ZEUXO 20 | ZEUXO 33 | ZEUXO 42 | ZEUXO 16 | ZEUXO 32 |

€ 250,00 + taxes



Cod. 70068 ADV SUPPORT CRADLE FOR NON-XK UNITS

Support for transport. Fits XJOY and Zeuxo line, marine materials, velcro strap.

Compatible with models: ZEUXO 20 | ZEUXO 33 | ZEUXO 42 | ZEUXO 16 | ZEUXO 32 |

€ 80,00 + taxes



Cod. 70606 XK1 XJOY14 XJOY37 CRADLE

Support for transport, fits XK line. Marine Materials, velcro strap.

Compatible with models: XJOY 2 | XJOY 7 | XJOY 14 | XJOY 37 | XK1 |

€ 85,00 + taxes



Cod. 70221 TOW HARNESS ALL MODELS

All Models

Compatible with models: XJOY 2 | XJOY 7 | XJOY 14 | XJOY 37 | XK1 | ZEUXO 20 | ZEUXO 33 | ZEUXO 42 | ZEUXO 16 | ZEUXO 32 |

€ 40,00 + taxes



Cod. 70547 TOW LEASH KIT ALL MODELS

Compatible with models: XJOY 2 | XJOY 7 | XJOY 14 | XJOY 37 | XK1 |

€ 25,00 + taxes



Cod. 70089 SAFETY CLIP TOW LEASH

Compatible with models: XJOY 2 | XJOY 7 | XJOY 37 | XK1 | ZEUXO 20 | ZEUXO 33 | ZEUXO 42 | ZEUXO 16 | ZEUXO 32 |

€ 40,00 + taxes



Cod. 70197 ORING KIT SEALING SHAFT ALL MODELS

All models

Compatible with models: XJOY 2 | XJOY 7 | XJOY 14 | XJOY 37 | XK1 | ZEUXO 20 | ZEUXO 33 | ZEUXO 42 | ZEUXO 16 | ZEUXO 32 |

€ 20,00 + taxes




Cod. 70211 SHAFT SEAL KIT INCL ORING AND PLATES ALL MODELS

Complete shaft seal - all models

Compatible with models: XJOY 2 | XJOY 7 | XJOY 14 | XJOY 37 | XK1 | ZEUXO 20 | ZEUXO 33 | ZEUXO 42 | ZEUXO 16 | ZEUXO 32 |

€ 60,00 + taxes




Cod. 70199 COMPLETE ORING KIT ZEUXO 16 OR 32

OR full kit for Zeuxo16 and Zeuxo32

Compatible with models: ZEUXO 16 | ZEUXO 32 |

€ 55,00 + taxes




Cod. 70200 COMPLETE OR KIT XJOY14 OR XJOY37

Kit Or completo per Xjoy14 OR XJOY 37

Compatible with models: XJOY 14 | XJOY 37 |

€ 55,00 + taxes




Cod. 70204 COMPLETE OR KIT ZEUXO 20-33-42

Full OR kit for Zeuxo20 Zeuxo33 Zeuxo42 Zeuxo64

Compatible with models: ZEUXO 20 | ZEUXO 33 | ZEUXO 42 |

€ 55,00 + taxes




Cod. 70227 COMPLETE OR KIT XJOY7

Complete OR Kit for XJOY7

Compatible with models: XJOY 7 |

€ 55,00 + taxes



Cod. 70610 ORING KIT FOR XJOY2

Compatible with models: XJOY 2 |

€ 40,00 + taxes



Cod. 70467 COMPLETE OR KIT XK

Compatible with models: XK1 |

€ 55,00 + taxes



Cod. 70037 AUTO BURN TESTER 24V -16AMP 1.5OHM

Fully automatic Burntester 1,5ohm/24Volt - 16Amp: - NOT FOR XK SERIES - The burn tester is composed of: - Voltmeter - Timer - Circuit driver with soft start - Display - Start Button (elapsed time or voltage) Once activated, elapsed time or voltage will be displayed by pressing the red

Compatible with models: XJOY 14 | XJOY 37 | ZEUXO 20 | ZEUXO 33 | ZEUXO 42 | ZEUXO 16 | ZEUXO 32 |

€ 220,00 + taxes



Cod. 70104 BATTERY PACK ZEUXO 33AH SLA

Sealed Lead Acid battery pack 24V 33Ah

Compatible with models: ZEUXO 33 |

€ 300,00 + taxes



Cod. 70105 BATTERY PACK ZEUXO42 42AH SLA

Sealed Lead Acid battery pack 24V 42 Ah

Compatible with models: ZEUXO 42 |

€ 320,00 + taxes



Cod. 70306 BATTERY PACK ZEUXO20 20AH SLA

Sealed Lead Acid Battery Pack. 24Volts 20Ah

Compatible with models: ZEUXO 20 |

€ 180,00 + taxes



Cod. 70318 BATTERY PACK ZEUXO 16 16AH NIMH

Nimh battery pack 26.4V 16Ah with built-in cut-off Cables connector and charging plug included.
Use for ADV16 and ADV32 Use proper charger only 70088

Compatible with models: ZEUXO 16 | ZEUXO 32 |

€ 650,00 + taxes



Cod. 70220 BATTERY PACK XJOY7 24V 15AH SLA

Compatible with models: XJOY 7 |

€ 180,00 + taxes



Cod. 70323 BATTERY PACK XJOY14 26.4V 14AH NIMH

Nimh battery pack 26.4V 14Ah is assembled with built-in cut-off. Cables and connectors included.
Use proper charger only 70088 CB Nimh

Compatible with models: XJOY 14 |

€ 450,00 + taxes



Cod. 70737 XJOY14 LITHIUM UPGRADE KIT INCL BALLAST CHARGER SPACER

Li-ion conversion Kit for XJOY14. The performances of the converted XJOY14 are identical to the XJOY37. The kit is reversible into the NIMH version

Compatible with models: XJOY 14 |

€ 1.600,00 + taxes



Cod. 70797 BATTERY PACK XK1 36V 37AH LIION 1340WH

PANASONIC Li-ion Battery pack for XK1

Compatible with models: XK1 |

€ 2.100,00 + taxes



Cod. 70796 XK1 BATTERY REPLACEMENT KIT 28-37

Li-ion battery replacement kit from 28A to 37A

Compatible with models: XK1 |

€ 2.100,00 + taxes



Cod. 70576 BATTERY PACK XJOY2 24V NIMH

Compatible with models: XJOY 2 |

€ 320,00 + taxes



Cod. 70527 BATTERY PACK XJOY37 25.2V 27AH -LIION 940WH

Li-ion Battery Pack for XJOY37 Nominal Voltage 25,2V Nominal Capacity 940Wh

Compatible with models: XJOY 37 |

€ 1.300,00 + taxes



Cod. 70036 CHARGER ZEUXO 33 OR 42

Switching battery charger for SLA batteries. 24Volt 6A Power 110/220V 50/60Hz.

Compatible with models: ZEUXO 33 | ZEUXO 42 |

€ 150,00 + taxes



Cod. 70088 CHARGER XJOY14 ZEUXO16-32 -HDVT16

Computerized battery charger for Nimh batteries 14Ah and 16 Ah. 110/220Volts 50/60Hz

Compatible with models: XJOY 14 | ZEUXO 16 | ZEUXO 32 |

€ 150,00 + taxes



Cod. 70093 CHARGER ZEUXO 20

Automatic battery charger for lead-acid batteries 2,5A 24Volt. Inlet 110/220Volts 50/60Hz

Compatible with models: ZEUXO 20 |

€ 120,00 + taxes



Cod. 70548 LI-ION CHARGER FOR XK

Charger for LI-ION Battery XK1 and XK2 :

Compatible with models: XK1 |

€ 310,00 + taxes



Cod. 70219 Charger XJOY 7

Compatible with models: XJOY 7 |

€ 90,00 + taxes



Cod. 70577 CB XJOY 2

Compatible with models: XJOY 2 |

€ 90,00 + taxes



Cod. 70734 CB Li-Ion XJOY37

Charger for XJOY37

Compatible with models: XJOY 37 |

€ 300,00 + taxes



Cod. 10133 SALT BALLAST XJOY14

Compatible with models: XJOY 14 |

€ 25,00 + taxes



Cod. 70226 SALT BALLAST XJOY7

Compatible with models: XJOY 7 |

€ 25,00 + taxes



Cod. 70425 SALT BALLAST ZEUXO 42

Compatible with models: ZEUXO 42 |

€ 40,00 + taxes



Cod. 70426 SALT BALLAST ZEUXO33

Compatible with models: ZEUXO 33 |

€ 36,00 + taxes



Cod. 70428 SALT BALLAST ZEUXO 20

Compatible with models: ZEUXO 20 |

€ 40,00 + taxes



Cod. 70444 SALT BALLAST ZEUXO 16

Compatible with models: ZEUXO 16 |

€ 32,00 + taxes



Cod. 70445 SALT BALLAST ZEUXO 32

Compatible with models: ZEUXO 32 |

€ 36,00 + taxes



Cod. 70471 WATER TRAP RING XK1 OR EXP OR T16

Compatible with models: XK1 |

€ 48,00 + taxes

Pricing:

Pricing does not include taxes (VAT) or shipping and packaging Pricing is valid for the EU countries.
For other countries please contact directly our Dealers or Distributors.

****Please note that all pricing is in Euros**** You must convert the Euro pricing we provide to your local or federal currency.

features



Fastening device

Suex Patented Latchless Fastening Device : - Reduced risk of entanglement - Homogeneous scooter body : no holes or weldings - The risk of an accidental opening while dropping or retrieving the scooter into/from the water is almost zero.



Main Switch

This MAIN SAFETY DEVICE allows an easy to operate immediate power supply interruption in any situation Fully mechanical device: no electronics are used to control this power cut-off switch. No need to remove or adjust the propeller during a runaway or failed scooter. When in OFF position it prevents any accidental start of the unattended unit – Machine directive compliant.



Made Salt Resistant

100% MARINE materials without any corrosion problem. No different metals connections removing the risk of galvanic corrosion without the need for a sacrificial anode. SUEX uses only homogeneous material both for PVC, Delrin and Aluminum parts without weldings.



NBS - Easy Trim and Buoyancy

Neutral Buoyancy System. The RADIAL O-ring sealing makes the scooter neutrally buoyant at any depth (within the operative range).



Easy Trim

Suex Trim Adjustment System. The perfect TRIM is a must for the scooter diving that makes the dive safer and more comfortable. The ADVs are supplied perfectly horizontal in the water and they do not require time consuming adjustments. They are neutral in fresh water and are provided with specific weights for the perfect salt water buoyancy.



Easy Inspect

The transparent lid between battery and motor compartment allows an immediate inspection of the motor compartment.



Sealed Motor Compartment

The ADVs have hermetically separated and sealed compartment between motor and battery.



Speed Adjustment

Robust (compared to variable pitch devices) design minimizes failures and allows integration with the patented of our patented "removable" propeller (PropLock) Adjustable electronic speed control with a fixed propeller pitch provides Maximum efficiency, Minimum failure points, Complete adjustability of speed (easily match with dive buddy).



Proplock Propeller

Optional on Xjoy14 and Zeuxos. Included on XKs. The patented Suex PropLock System allows the diver to quickly remove and replace the propeller (even while underwater) without tools and without holding multiple parts. This allows the diver to quickly remove obstructions or entanglement while underwater.



Propeller Options

Increased thrust of about 15% with a proportional reduction of burntime. Suggested in high flow dives and with heavy gear.



By-pass System

- Once activated the system provides the battery-motor direct feed allowing the diver to use all the residual burntime of the scooter in the very unlikely case of an electronic board failure. - When the By-pass is activated the scooter can be controlled via the ON/OFF switch. - This system works ONLY with BRUSHED motors (like the Suex ADV) because they are capable of running without electronic controls.



Battery Gauge

- Simple and reliable 3 blue HIL (High Intensity Led) display. Shows ON position and three levels of charge. Easily seen by the diver. The onset indicator can be spotted also by the diver's buddy while the scooter is towed.



Motor Protection

Maximum current draw control Overheating protection. Double sensors for the start device . Low battery warning. Protection fuse.



Battery Protection System

CUT-OFF SYSTEM - Overdischarge protection - fully automatic



N-Handle

Optional on Xjoy14 and Zeuxos - Included on XKs. Wrist is in the ideal position and always relaxed for the long run Thumb provides the proper grip and control not being used to activate the trigger Main features: - customized hand grip distance - while maximizing the trigger options (dual speed), - auto pilot - accessories mount.



Rainbow

Available in three colours: Blue- Yellow - White



Certifications

CE CONFORMITY Complies with regulations : Machinery Directive 2006/95/CE Electromagnetic Compatibility EMC 2004/108/CE UNI EN ISO 12100-1:2010 UNI EN ISO 61000-6-4 UNI EN ISO 61000-6-1 CEI EN 60034-1 CEI EN 60335-1



Modularity

The modular system allows to extend the burntime of the ADV changing the battery pack and if necessary the body keeping the same back-end (motor and propeller).



PMS

PACKS MANAGEMENT SYSTEM - computerized system that uses the battery packs in cycle. The switching between the packs is fully automatic. AVOIDS the cross-discharge problems that could arise from the connection between multiple battery packs. GUARANTEES THE MAXIMUM EFFICIENCY during the discharge (use) of the multiple packs managing the correct discharge sequence. IS A BACKUP SYSTEM that improves safety : If for any reason one of the packs fails the PMS excludes it and keeps on working on the others pack/s allowing the diver to use all the residual burntime of the scooter.



SUEX[®] 
THE SUBMARINE EXPLORATION COMPANY

*The Suex Advanced
Diving Vehicles,
the cutting-edge
technology of
underwater mobility.*





Suex srl - Via Roma, 261/35
31020 Villorba (TV)
Tel.: +39 0422 444 849
Fax: +39 0422 620 604
Email: info@suex.it
www.suex.it